

STORAGE

Storage Unit



STORAGE

Storage Unit

Technical specifications

STRUCTURE

Composed of base, top and two side panels, thickness 18 mm. Back panel inserted into a groove, thickness 18 mm for finishes N3BD and N3NJ, thickness 5 mm for finish N2GN. Shelves thickness 25 mm equipped with concealed fixing hardware, adjustable on side panel drillings with 32 mm pitch. Structure made of double-sided melamine-faced particleboard panels, E1 class, scratch-resistant and anti-glare, with 1 mm ABS edge banding for finishes N3BD and N3NJ, and 0.5 mm for finish N2GN. Equipped with height-adjustable black nylon feet (4 for units W. 450 mm and 5 for units W. 900 mm), with 15 mm adjustment.

On request, metal shelves made of sheet steel powder-coated with epoxy paints are available. Designed for hanging files with 330 mm pitch. Equipped with concealed fixing hardware, they can be positioned on side panel drillings with 32 mm pitch.

MELAMINE DOORS

Made of 18 mm thick double-sided melamine-faced particleboard panels, E1 class, scratch-resistant and anti-glare, with 1 mm ABS edge banding. Equipped with adjustable hinges with "quick cam fixing" that do not require screws or tools. Hinges with 110° opening. Doors fitted with lock with removable cylinder, supplied with double numbered folding safety keys.

GLASS DOORS

Made of 4 mm thick tempered glass with polished edges along the perimeter. Equipped with adjustable mini hinges for glass doors, with glossy black ABS cover caps. Hinges with 110° opening. Doors fitted with lock with removable wafer cylinder, supplied with double numbered folding safety keys. Door equipped with holes for zamak handle with 128 mm pitch. Available only in Smoke finish (V1GE).

GLASS DOORS WITH ALUMINUM FRAME

Made of 4 mm thick tempered glass with 20/20 perimeter aluminum frame. Equipped with adjustable hinges recessed into the aluminum frame. Hinges with 110° opening. Doors fitted with lock with removable wafer cylinder, supplied with double numbered folding safety keys. Door equipped with handle integrated into the aluminum frame. Available in Satin (V2VS) or Smoke (V1GE) finishes.

TOP AND FINISHING SIDE PANELS

OPTIONAL – On request, top and finishing side panels matching the doors are available. Made of 18 mm thick double-sided melamine-faced particleboard panels, E1 class, scratch-resistant and anti-glare, with 1 mm ABS edge banding.

HANDLES

Made of aluminum-painted zamak with 128 mm pitch.

OPTIONAL – Available in Black or White finish.

OPTIONAL – Push & Pull opening system mechanism available.












PACKAGING

All items are supplied disassembled and packed in triple-layer white cardboard boxes; where necessary, perimeter protection strips and filling elements are used. All corners are protected with anti-shock edge protectors. Boxes are sealed with hot-melt adhesive or adhesive tape where required. Assembly hardware is included inside each individual package.

STORAGE

Storage Unit

Finishes

<p>Struttura Structure Structure</p>		<p>Melaminico Melamine Mélamine</p>  <p>N2GN N3BD N3NJ</p>
<p>Ante melaminico MFC doors Portes en mélaminé</p>		<p>Melaminico Melamine Mélamine</p>  <p>N3BD N2GN N2AN N3RT N2NO N3NB N3EU N3RV N3NA N3OC N2GF N3NJ</p>
<p>Telaio per ante vetro Frame for glass doors Cadre pour portes en verre</p>		<p>Alluminio Aluminium Aluminium</p>  <p>A1BD A1AC A1NE</p>
<p>Ante vetro con telaio Glass doors with frame Portes en verre avec cadre</p>		<p>Vetro Glass Verre</p>  <p>V2VS V1GE</p>
<p>Ante vetro senza telaio Glass doors without frame Portes en verre sans cadre</p>		<p>Vetro Glass Verre</p>  <p>V1GE</p>
<p>Top e fianchi di finitura Finishing top and sides Top et cotés de finition</p>		<p>Melaminico Melamine Mélamine</p>  <p>N3BD N2GN N2AN N3RT N2NO N3NB N3EU N3RV N3NA N3OC N2GF N3NJ</p>

STORAGE

Storage Unit

Abacus

Contenitori a giorno | Open storage units | Armoires à jour



L 90 P 43 H 85
L 90 P 33 H 85
L 45 P 43 H 85
L 45 P 33 H 85



L 90 P 43 H 127
L 90 P 33 H 127
L 45 P 43 H 127
L 45 P 33 H 127



L 90 P 43 H 168
L 45 P 43 H 168



L 90 P 43 H 210
L 90 P 33 H 210
L 45 P 43 H 210
L 45 P 33 H 210



L 90 P 43 H 251
L 45 P 43 H 251

Contenitori con ante in melaminico | Storage units with MFC doors | Armoires avec portes en mélamine



L 90 P 45 H 85
L 90 P 35 H 85
L 45 P 45 H 85
L 45 P 35 H 85



L 90 P 45 H 85
L 45 P 45 H 85



L 90 P 45 H 127
L 90 P 35 H 127
L 45 P 45 H 127
L 45 P 35 H 127



L 90 P 45 H 168
L 45 P 45 H 168



L 90 P 45 H 168
L 45 P 45 H 168



L 90 P 45 H 210
L 90 P 35 H 210
L 45 P 45 H 210
L 45 P 35 H 210



L 90 P 45 H 210
L 45 P 45 H 210



L 90 P 43 H 210
L 90 P 33 H 210
L 45 P 43 H 210
L 45 P 33 H 210



L 90 P 43 H 210
L 90 P 33 H 210
L 45 P 43 H 210
L 45 P 33 H 210



L 90 P 45 H 210
L 90 P 35 H 210
L 45 P 45 H 210
L 45 P 35 H 210



L 90 P 45 H 210



L 90 P 45 H 210



L 90 P 45 H 251
L 45 P 45 H 251



L 90 P 45 H 251
L 45 P 45 H 251

Contenitori con ante in vetro e telaio alluminio | Storage units with aluminium framed glass doors | Armoires avec portes en verre et cadre en aluminium



L 90 P 45 H 127
L 90 P 35 H 127
L 45 P 45 H 127
L 45 P 35 H 127



L 90 P 45 H 168
L 45 P 45 H 168



L 90 P 45 H 210
L 90 P 35 H 210
L 45 P 45 H 210
L 45 P 35 H 210



L 90 P 45 H 210
L 90 P 35 H 210
L 45 P 45 H 210
L 45 P 35 H 210



L 90 P 45 H 210

Contenitori con ante in vetro senza telaio | Storage units without framed glass doors | Armoires avec portes en verre sans cadre



L 90 P 45 H 127
L 90 P 35 H 127
L 45 P 45 H 127
L 45 P 35 H 127



L 90 P 45 H 168
L 45 P 45 H 168



L 90 P 45 H 210
L 90 P 35 H 210
L 45 P 45 H 210
L 45 P 35 H 210



L 90 P 45 H 210
L 90 P 35 H 210
L 45 P 45 H 210
L 45 P 35 H 210

STORAGE

Storage Unit



STORAGE

Storage Unit

Technical specifications

MELAMINE STRUCTURE

Structure composed of base, top and two side panels, thickness 18 mm. Back panel inserted into a groove, thickness 18 mm. Shelves thickness 25 mm equipped with concealed fixing hardware, adjustable on side panel drillings with 32 mm pitch. Structure made of double-sided melamine-faced particleboard panels, E1 class, scratch-resistant and anti-glare. Equipped with height-adjustable black nylon feet (4 for units W. 450 mm and 5 for units W. 900 mm), with 15 mm adjustment. Available in 2 finishes.

LACQUERED STRUCTURE

Structure composed of base, top and two side panels, thickness 18 mm. Back panel inserted into a groove, thickness 18 mm. Shelves thickness 25 mm equipped with concealed fixing hardware, adjustable on side panel drillings with 32 mm pitch. Structure made of double-sided melamine-faced particleboard panels, E1 class, with matt micro-textured lacquered finish using polyurethane paint. Equipped with height-adjustable black nylon feet (4 for units W. 450 mm and 5 for units W. 900 mm), with 15 mm adjustment. Available in 19 finishes.

METAL SHELVES - OPTION

Metal shelves in sheet steel, powder-coated with epoxy paints, available on request. Designed for hanging files with 330 mm pitch. Equipped with fittings for concealed fixing hardware, they can be positioned on side panel drillings with 32 mm pitch. Available in 2 finishes.

DOORS, TOP AND SIDE PANELS - MELAMINE

Made of double-sided melamine-faced particleboard panels, thickness 18 mm, E1 class, scratch-resistant and anti-glare. Doors equipped with adjustable hinges with quick fixing, 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys. Push & Pull opening system and hinges with soft-close mechanism. Available in 7 finishes.

DOORS, TOP AND SIDE PANELS - LACQUERED

Made of double-sided melamine-faced particleboard panels, thickness 18 mm, E1 class, matt micro-textured lacquered with polyurethane paint. Doors equipped with adjustable hinges with quick fixing, 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys. Push & Pull opening system and hinges with soft-close mechanism. Available in 19 finishes.

DOORS, TOP AND SIDE PANELS - VENEERED

Made of wood fiber panels, density 650 kg/m³, E1 class, veneered with multilaminar sliced wood Alpi in accordance with ISO 18775. Open-pore surface finish. SEMI-GLOSS coating with non-toxic transparent acrylic paints, anti-glare. Panels thickness 18 mm with 1 mm sliced wood edge banding on all sides. Available in 2 finishes: i1WE, i1RO. Doors equipped with adjustable hinges with quick fixing, 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys. Push & Pull opening system and hinges with soft-close mechanism.

DOORS, TOP AND SIDE PANELS - VENEERED MATT FINISH

Made of wood fiber panels, density 650 kg/m³, E1 class, veneered with multilaminar sliced wood Alpi in accordance with ISO 18775. Open-pore surface finish. SUPER-MATT coating with non-toxic transparent acrylic paints, anti-glare and velvety to the touch. Panels thickness 18 mm with 1 mm sliced wood edge banding on all sides. Available in 4 finishes: i2NR, i2NT, i2PA, i2EB. Doors equipped with adjustable hinges with quick fixing, 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys. Push & Pull opening system and hinges with soft-close mechanism.

STORAGE

Storage Unit

Technical specifications

DOORS, TOP AND SIDE PANELS - VENEERED BRUSHED FINISH

Made of wood fiber panels, density 650 kg/m³, E1 class, veneered with multilaminar sliced wood Alpi in accordance with ISO 18775. BRUSHED surface finish. **SUPER-MATT** opaque coating with non-toxic transparent acrylic paints, anti-glare and velvety to the touch. Panels thickness 18 mm with 1 mm thick sliced wood edge banding on all sides.

Available in 4 finishes: **i2NR Royal Walnut, i2NT Tobacco Walnut, i2PA Rosewood, i2EB Ebony.**

Doors equipped with adjustable hinges with quick fixing, 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys. Push & Pull opening system and hinges with soft-close mechanism.

Wood brushing is a process that gives the material a natural and textured effect, enhancing the wood grain. This treatment is carried out with special machinery which, through the mechanical action of brushes, removes the softer parts of the wood on the surface. The grain is thus highlighted, enhancing the full beauty of the wood.

TOP AND SIDE PANELS - LEATHER COVERED

Made of double-sided melamine-faced particleboard panels, 18 mm thick, E1 class, covered with leather on the top side and edges, with matching stitching. Bovine leather with semi-aniline treatment, finished thickness 1.0-1.2 mm. Article with a soft feel, waxy touch and semi-matt appearance. Available in 6 leather finishes.

GLASS DOORS

Made of 4 mm thick tempered glass, available in 2 versions:

back-painted glass, glossy and **NO-PRINT**, set in a perimeter aluminum frame 20/6, available in 4 finishes;

transparent glass set in a perimeter aluminum frame 20/20, available in 3 finishes.

Equipped with adjustable hinges recessed into the aluminum frame, with 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys. Door equipped with handle integrated into the aluminum frame and hinges with soft-close mechanism. Available in all finishes of the glossy back-painted glass collection, NO-PRINT back-painted glass and transparent glass.

LAMINAM® DOORS


































































Made with a 5.6 mm thick **LAMINAM®** porcelain stoneware slab set in a 20/20 perimeter aluminum frame powder-coated with epoxy paints, available in 2 finishes. Equipped with adjustable hinges recessed into the aluminum frame, with 110° opening. Doors complete with lock featuring removable cylinder and 2 numbered folding security keys.

Door equipped with handle integrated into the aluminum frame and hinges with soft-close mechanism. Available in the 5 finishes of the **LAMINAM®** collection.

STORAGE

Storage Unit

Finishes

<p>Struttura Structure Structure</p>		<p>Melaminico Melamine Mélamine</p> <p> </p> <p>N3BD N3NJ</p>
<p>Struttura Structure Structure</p>		<p>Laccato Lacquered Laqué</p> <p>        </p> <p>L2BD L2GC L2ME L2GF L2SI L2CS L2GL L2CN L2MS L2VO</p> <p>       </p> <p>L2SA L2VF L2OT L2DE L2BV L2NU L2TT L2MK L2NE</p>
<p>Ante, top e fianchi di finitura Doors, Finishing top and sides Portes, top et côtés de finition</p>		<p>Melaminico Melamine Mélamine</p> <p>   </p> <p>N3BD N3RV N3NB N3EU</p> <p>  </p> <p>N2GF N3NJ N3FC</p>
<p>Ante, top e fianchi di finitura Doors, Finishing top and sides Portes, top et côtés de finition</p>		<p>Laccato Lacquered Laqué</p> <p>        </p> <p>L2BD L2GC L2ME L2GF L2SI L2CS L2GL L2CN L2MS L2VO</p> <p>       </p> <p>L2SA L2VF L2OT L2DE L2BV L2NU L2TT L2MK L2NE</p>
<p>Ante, top e fianchi di finitura Doors, Finishing top and sides Portes, top et côtés de finition</p>		<p>Impiallacciato Wood Veneer Bois Plaqué</p> <p> </p> <p>i1RO i1WE</p> <p>       </p> <p>i2NR i2NT i2PA i2EB i3NR i3NT i3PA i3EB</p>
<p>Top e fianchi di finitura Finishing top and sides Top et côtés de finition</p>		<p>Pelle Leather Cuir</p> <p>     </p> <p>P1BG P1MS P1VP P1BN P1CG P1NE</p>

STORAGE

Storage Unit

Finishes

<p>Telaio per ante Frame for doors Cadre pour portes</p>		<p>Alluminio Aluminium Aluminium</p>  <p>A1AL A2BD A2NE A1BZ</p>
<p>Ante vetro con telaio Glass doors with frame Portes en verre avec cadre</p>		<p>Vetro laccato Lacquered glass Verre laqué</p>  <p>E1BD E1GC E1GF V1MS V1VF V1DE V1TT V1BV V1MK V1NE E3BD E3GC E3GF V3MS V3VF V3DE V3TT V3BV V3MK V3NE</p>
<p>Telaio per ante Frame for doors Cadre pour portes</p>		<p>Alluminio Aluminium Aluminium</p>  <p>A2BD A2NE A1BZ</p>
<p>Ante vetro con telaio Glass doors with frame Portes en verre avec cadre</p>		<p>Vetro Glass Verre</p>  <p>E1EC V1GE V1BZ</p>
<p>Telaio per ante Frame for doors Cadre pour portes</p>		<p>Alluminio Aluminium Aluminium</p>  <p>A2BD A2NE</p>
<p>Ante Laminam® con telaio Laminam® doors with frame Portes en Laminam® avec cadre</p>		<p>Laminam® Laminam® Laminam®</p>  <p>K2OB K2ON K1BS K1ND K2PG</p>

STORAGE

Storage Unit

Abacus

Contenitore | Storage unit | Armoire



L90 P43 H85
L45 P43 H85
L90 P33 H85
L45 P33 H85



L90 P43 H127
L45 P43 H127
L90 P33 H127
L45 P33 H127



L90 P43 H168
L45 P43 H168



L90 P43 H210
L45 P43 H210
L90 P33 H210
L45 P33 H210

Contenitore con ante | Storage unit with doors | Armoire avec portes



L90 P45 H85
L45 P45 H85
L90 P35 H85
L45 P35 H85



L90 P45 H127
L45 P45 H127
L90 P35 H127
L45 P35 H127




L90 P45 H168
L45 P45 H168



L90 P45 H210
L45 P45 H210
L90 P35 H210
L45 P35 H210



L90 P45 H210
L45 P45 H210



L90 P45 H210
L45 P45 H210
L90 P35 H210
L45 P35 H210




L90 P45 H210
L45 P45 H210
L90 P35 H210
L45 P35 H210



L90 P45 H85
L45 P45 H85
L90 P35 H85
L45 P35 H85



L90 P45 H127
L45 P45 H127
L90 P35 H127
L45 P35 H127



L90 P45 H168
L45 P45 H168



L90 P45 H210
L45 P45 H210
L90 P35 H210
L45 P35 H210



L90 P45 H85
L45 P45 H85
L90 P35 H85
L45 P35 H85



L90 P45 H127
L45 P45 H127
L90 P35 H127
L45 P35 H127